
CHAPTER

1


Real Numbers

KEY POINTS



VERY SHORT ANSWER TYPE QUESTIONS

- A number N when divided by 16 gives the remainder 5 is the remainder 1. when the same number is divided by 8.
- 2.
- HCF of $3^3 \times 5^4$ and $3^4 \times 5^2$ is ______. If $a = xy^2$ and $b = x^3y^5$ where x and y are prime numbers then LCM of (a, b) is 3.
- In the given factor tree find x and y 4.



If *n* is a natural number, then $25^{2n} - 9^{2n}$ is always divisible by : 5.

- (i) 16 (ii) 34
- (iii) both 16 or 34 (iv) None of these

The decimal expansion of the rational number $\frac{327}{2^3 \times 5}$ will terminate after 6.

- (a) One decimal place (b) Two decimal place
- (c) Three decimal place (d) More than three decimal place
- Which of the following rational numbers have terminating decimal? 7.

(i) $\frac{18}{225}$ (ii)	$\frac{5}{18}$ (iii) $\frac{2}{21}$	(iv) $\frac{7}{250}$
(a) (i) and (ii)	(b) (ii) and (iii)	
(c) (i) and (iii)	(d) (i) and (iv)	

8. Euclid's division Lemma states that for two positive integers a and b, there exist unique integers q and r such that a = bq + r, where r must satisfy.


(a)
$$1 < r < b$$
 (b) $0 < r \le b$

(c)
$$0 \le r < b$$
 (d) $0 < r < b$

9. $p^n = (a \times 5)^n$ For p^n to end with the digit zero a =_____ for natural number n. (a) any natural number (b) even number (b) odd number (d) none of these

10.	HCF is always				
	(a) multiple of LCM	(b)	Factor of LCM		
	(c) divisible by LCM	(d)	(a) and (c) both		
11.	All decimal numbers are				
	(a) rational number	(b)	irrational numbers		
	(c) real numbers	(d)	integers		
12.	Which of these numbers always end with the digits 6.				
	(a) 4^n (b) 2^n	(c)	6^{n} (d) 8^{n}		
13.	Write the prime factor of $2 \times 7 \times 11 \times 13 \times 17 + 21$				
14.	Write the form in which every odd integer can be written taking t as variable.				
15.	What would be the value of <i>n</i> for which n^2-1 is divisible by 8.				
16.	What can you say about the product of a non-zero rational and irrational number?				
17.	After how many places the deci	mal e	expansion of $\frac{13497}{1250}$ will terminate?		
18.	Find the least number which is divisible by all numbers from 1 to 10 (both inclusive).				

- **19.** The numbers 525 and 3000 are divisible by 3, 5, 15, 25 and 75. What is the HCF of 525 and 3000?
- **20.** What is x : y in the factor-tree?



SHORT ANSWER TYPE QUESTIONS-I

- **21.** If n is an odd integer then show that $n^2 1$ is divisible by 8.
- **22.** Use Euclid's division algorithm to find the HCF of 16 and 28.
- **23.** Show that 12^n cannot end with the digit 0 or 5 for any natural number *n*.

(NCERT Exemplar)

Mathematics-X

- 24. Without actually performing the long division, find if $\frac{395}{10500}$ will have terminating or non terminating (repeating decimal expansion.)
- **25.** A rational number in its decimal expansion is 327. 7081. What can you say about the prime factors of q, when this number is expressed in the form of $\frac{p}{q}$? Give reasons.
- 26. What is the smallest number by which $\sqrt{5} \sqrt{2}$ is to be multiplied to make it a rational number? Also find the number so obtained?
- **27.** Find one rational and one irrational no between $\sqrt{3}$ and $\sqrt{5}$.
- **28.** If HCF of 144 and 180 is expressed in the form 13m 3, find the value of m.

(CBSE 2014)

- **29.** Find the value of : $(-1)^n + (-1)^{2n} + (-1)^{2n+1} + (-1)^{4n+2}$, where n is any positive odd integer. (CBSE 2016)
- 30. Show that any positive odd integer is of the form 4q + 1 or 4q + 3, where q is some integer. (CBSE 2012)
- Two tankers contain 850 litres and 680 litres of petrol respectively. Find the maximum capacity of a container which can measure the petrol of either tanker in exact number of times. (CBSE 2016)

SHORT ANSWER TYPE QUESTIONS-II

- 32. Show that the cube of any positive integer is of the form 4m, 4m + 1 or 4m + 3 for some integer *m*.
- **33.** If $7560 = 2^3 \times 3^p \times q \times 7$, find *p* and *q*.
- **34.** If $\frac{105}{2^3 \times 5^2 \times 3^p \times 7^q}$ is a terminating decimal, what are the least possible values of *p* and *q*.
- **35.** Prove that $\sqrt{3} + \sqrt{5}$ is irrational
- **36.** Prove that $5 \frac{3}{7}\sqrt{3}$ is an irrational number.

- **37.** Prove that $\frac{1}{2-\sqrt{5}}$ is an irrational number.
- **38.** Find HCF and LCM of 56 and 112 by prime factorization method.
- **39.** Explain why:
 - (i) $7 \times 11 \times 13 \times 15 + 15$ is a composite number
 - (ii) $11 \times 13 \times 17 + 17$ is a composite number.
 - (iii) $1 \times 2 \times 3 \times 5 \times 7 + 3 \times 7$ is a composite number.
- **40.** On a morning walk, three persons steps off together and their steps measure 40 cm, 42 cm, and 45 cm respectively. What is the minimum distance each should walk, so that each can cover the same distance in complete steps?

(NCERT Exemplar)

- **41.** During a sale, colour pencils were being sold in the pack of 24 each and crayons in the pack of 32 each. If you want full packs of both and the same number of pencils and crayons, how many packets of each would you need to buy? (CBSE : 2017)
- **42.** Find the largest number that divides 31 and 99 leaving remainder 5 and 8 respectively.
- **43.** The HCF of 65 and 117 is expressible in the form 65 m 117. Find the value of m. Also find the LCM of 65 and 117 using prime factorisation method.
- **44.** Using Euclid's division algorithm, find the largest number that divides 1251, 9377 and 15628 leaving remainder 1, 2 and 3 respectively.

(NCERT Exemplar)

- **45.** Show that square of any odd integer is of the form 4m + 1, for some integer m.
- **46.** Find the HCF of 180, 252 and 324 by Euclid's Division algorithm.
- 47. Find the greatest number of six digits exactly divisible by 18, 24 and 36.
- **48.** Three bells ring at intervals of 9, 12, 15 minutes respectively. If they start ringing together at a time, after how much time will they next ring together?
- **49.** Show that either the number n, n + 2 and n + 4 are three consecutive odd numbers or 3 even numbers.

50. Find HCF and LCM of 404 and 96 and verify that HCF × LCM = Product of two given number. (CBSE 2018)

LONG ANSWER TYPE QUESTIONS

- 51. Find the HCF of 56, 96, 324 by Euclid's algorithm.
- 52. Show that any positive odd integer is of the form 6q + 1, 6q + 3 or 6q + 5, where q is some integer.
- **53.** Prove that the square of any positive integer is of the form 5q, 5q + 1, 5q + 4 for some integer, q.
- 54. Prove that the product of three consecutive positive integers is divisible by 6.
- **55.** For any positive integer *n*, prove that $n^3 n$ is divisible by 6.

(NCERT Exemplar)

- **56.** Show that one and only one of n, n + 2, n + 4 is divisible by 3.
- **57.** Aakriti decided to distribute milk in an orphanage on her birthday. The supplier brought two milk containers which contain 398 *l* and 436 *l* of milk. The milk is to be transferred to another containers so that 7 *l* and 11 *l* of milk is left in both the containers respectively. What will be the maximum capacity of the drum?
- **58.** Find the smallest number, which when increased by 17, is exactly divisible by both 520 and 468.
- **59.** A street shopkeeper prepares 396 Gulab jamuns and 342 ras-gullas. He packs them, in combination. Each containter consists of either gulab jamuns or ras-gullab but have equal number of pieces.

Find the number of pieces he should put in each box so that number of boxes are least. How many boxes will be packed in all. (CBSE 2016)

- 60. Show that the square of any positive integer cannot be of the form 5q + 2 or 5q + 3 for integer q.
- 61. Express the HCF of numbers 72 and 124 as a linear combination of 72 and 124.
- 62. Show that there is no positive integer n for which $\sqrt{n-1} + \sqrt{n+1}$ is rational.
- **63.** Find the number nearest to 110000 but greater than 1 lakh, which is exactly divisible by 8, 15, 21.
- **64.** In a seminar, the no. of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the minimum number of rooms required if in



each room the some the same number of participants are to be seated and all of the them being of the the same subject. (HOTS)

- **65.** State fundamental theorem of Arithmetic. Is it possible that HCF and LCM of two numbers be 24 and 540 respectively. Justify your answer.
- **66.** Find the smallest number which when increased by 20 is exactly divisible by 90 and 144. If we express the smallest number, the LCM, in the form 144 m + 90n, then what are the values of m and n? Is LCM, a multiple of 144?
- 67. If the HCF of 1032 and 408 is expressible in the form $1032 p 408 \times 5$, find p.
- **68.** The LCM of two numbers is 14 times their HCF. The sum of LCM and HCF is 600. If one of the number is 280. Find the other number.

ANSWERS AND HINTS

1. 5	2. $3^3 \times 5^2$		
3. $x^3 \times y^5$	4. $x = 35, y = 70$		
5. (<i>iii</i>) $25^{2n} - 9^{2n}$ is of the form a^{2n}	$a^{n} - b^{2n}$ which is divisible by both $a - b$ and		
a + b so, by both $25 + 9 = 34$ and $25 - 9 = 16$.			
6. (c) three decimal place	7. (d) (i) and (iv)		
8. (c) $0 \le r < b$	9. (b) even number		
10. (b) Factor of LCM	11. (c) real numbers		
12. (c) 6^n	13. 7		
14. 2 <i>t</i> + 1	15. An odd integer		
16. Irrational	17. 4		
18. 2520	19. 75		
20. 60 : 1			

21. Any +ve odd integer is of the form 4q + 1 or 4q + 3 for some integer q so if n = 4q + 1. $n^2 - 1 = (4q + 1)^2 - 1 = 16q^2 + 8q = 8q(2q + 1) \Rightarrow n^2 - 1$ is divisible by 8. If n = 4q + 3 $n^2 - 1 = (4q + 3)^2 - 1 = 16q^2 + 24q + 8 = 8(2q^2 + 3q + 1) \Rightarrow n^2 - 1$ is divisible by 8.



- **22.** 4
- **23.** As 12 has factors 2, 2, 3 it does not has 5 as its factor so 12^n will never end with 0 or 5.
- 24. Non-terminating repeating.
- **25.** Denominator is the multiple of 2's and 5's.
- **26.** $\sqrt{5} + \sqrt{2}$, 3
- 28. By Euclid's division lemma

 $180 = 144 \times 1 + 36$ $144 = 36 \times 4 + 0$ HCF of 180 and 144 is 36. 13m - 3 = 36 13m = 39m = 3

29. Given that n is a positive odd integer

 \Rightarrow 2n and 4n + 2 are even positive integers and n and 2n + 1 are odd positive integers.

$$\therefore \quad (-1)^n = -1, \, (-1)^{2n} = +1, \, (-1)^{2n+1} = -1, \, (-1)^{2n+2} = +1$$

$$\therefore \quad (-1)^n + (-1)^{2n} + (-1)^{2n+1} + (-1)^{4n+2} = -1 + 1 - 1 + 1 = 0$$

30. By applying Euclid division algorithm to a and b such that a = 4q + r, where b = 4, Now r = 0, 1, 2, 3.

where,	r=0,	a = 4q	which is even number.
where,	r = 1,	a = 4q + 1	an odd number.
where,	<i>r</i> = 2,	a = 4q + 2 =	=2 $(2q + 1)$, an even number.
where,	<i>r</i> = 3,	a = 4q + 3	an odd number.

- **31.** HCF of 850 and 680 is $2 \times 5 \times 17 = 170$ litres.
- **32.** Let n be any psoitve integer. Then it is of the form 4q, 4q + 1, 4q + 2 and 4q + 3.

When n = 4q, $n^3 = 64q^3 = 4(16q^3) = 4m$, where $m = 16q^3$ When n = 4q + 1, $n^3 = (4q + 1)^3 = 64q^3 + 48q^2 + 12q + 1$

Mathematics-X

 $= 4(16q^3 + 12q^2 + 3q) + 1 = 4 m + 1.$

where $m = 16q^3 + 12q^2 + 3q$

Similarly discuss for n = 4q + 2 and 4q + 3.

33. p = 3 and q = 5

34. 0 and 1

- **35.** Prove that $\sqrt{3}$ and $\sqrt{5}$ is irrational number separately.
- **36.** 5 is rational no. and $\frac{3}{7}\sqrt{3}$ is an irrational number. Difference of a rational number and irrational number is an irrational number.
- **38.** HCF : 56, LCM : 112
- **39.** (1) $15 \times (7 \times 11 \times 13 + 1)$ as it has more than two factors so it is composite no.
- **40.** LCM of 40, 42, 45 = 2520

Minimum distance each should walk 2520 cm.

41. LCM of 24 and 32 is 96

96 crayons or $\frac{96}{32} = 3$ packs of crayons

96 pencils or $\frac{96}{24} = 4$ packs of pencils.

42. Given number = 31 and 99

31-5=26 and 99-8=91Prime factors of $26=2 \times 13$ $91=7 \times 13$

HCF of (26, 91) = 13.

 \therefore 13 is the largest number which divides 31 and 99 leaving remainder 5 and 8 respectively.

43. HCF of 117 and 65 by Euclid division algorithm.

 $117 = 65 \times 1 + 52$ $65 = 52 \times 1 = 52$ $52 = 13 \times 4 + 0$ HCF (117, 52) = 13. Given that 65 m - 117 = 13 \Rightarrow 65 m = 130 \Rightarrow m = 2. LCM (65, 117) = 13 \times 3² \times 5 = 585



- **44.** 1251 1 = 1250, 9377 2 = 9375, 15628 3 = 15625HCF of (15625, 9375) = 3125HCF of (3125, 1250) = 625 \Rightarrow HCF of (1250, 9375, 15625) = 625
- **45.** By Euclid's division algorithm, we have a = bq + r, where $0 \le r < 4$. On putting b = 4 we get a = 4q + r where, r = 0, 1, 2, 3.
 - If r = 0, a = 4q which is even
 - If r = 1, a = 4q + 1 not divisible by 2
 - If r = 2, a = 4q + 2 = 2(2q + 1) which is even
 - If r = 3, a = 4q + 3 not divisible by 2.

So, for any +ve integer q, 4q + 1 and 4q + 3 are odd integers.

$$a^{2} = (4q + 1)^{2} = 16q^{2} + 1 + 8q = 4(4q^{2} + 2q) + 1 = 4m + 1$$

where m = 4q² + 2q similarly for 4q + 3.

46. HCF (324, 252, 180) = 36

How,

47. LCM of (18, 24, 36) = 72.

Greatest six digit number = 999999

$$72 \overline{\smash{\big)}_{-\frac{72}{279}}} = \frac{999999}{(13888)} (13888) \\ -\frac{72}{279} \\ -\frac{216}{639} \\ -\frac{576}{639} \\ -\frac{576}{$$

- **48.** LCM of (9, 12, 15) = 180 minutes.
- **49.** Let the number divisible by 3 is of the form 3k + r, r = 0, 1, 2

$$a = 3k, 3k + 1 \text{ or } 3k + 2$$
(i) When
$$a = 3k$$

$$n = 3k \implies n \text{ is divisible by 3.}$$

$$n + 2 = 3k + 2 \implies n + 2 \text{ is not divisible by 3.}$$

$$n + 4 = 3k + 4 = 3k + 3 + 1 = 3(k + 1) + 1 \implies n + 4 \text{ is not divisible by 3.}$$

So, only one out of n, n + 2 and n + 4 is divisible by 3.

Mathematics-X

a = 3k + 1(*ii*) When $n = 3k + 1 \implies n$ is not divisible by 3. n + 2 = 3k + 1 + 2 = 3k + 3 = 3(k + 1) \Rightarrow *n*+2 is divisible by 3. n + 4 = 3k + 1 + 4 = 3k + 5 = 3(k + 1) + 2 \Rightarrow *n* + 2 is not divisible by 3. So, only one out of n, n + 2 and n + 4 is divisible by 3. Similarly do for a = 3k + 2. HCF(404, 96) = 450. LCM(404, 96) = 9696 $HCF \times LCM = 38,784$ $404 \times 96 = 38,784$ Also, **51.** 4 **52.** Let a be +ve odd integer. a = 6q + r where r = 0, 1, 2, 3, 4, 5 \Rightarrow If, a = 6q + 0 = 2(3q) is an even integer so not possible If, a = 6q + 1 is an odd integer If. a = 6q + 2 = 2(3q + 1) is an even integer so not possible If. a = 6q + 3 is an odd integer If, a = 6q + 4 = 2(3q + 2) is an even integer so not possible If, a = 6q + 5 is an odd integer. 54. Let the three consecutive integers be a, a+1, a+2, Case I : If a is even. \Rightarrow a + 2 is the also even a(a+2) is divisible by 2 a(a+2)(a+1) is also divisible by 2 Now a, a + 1, a + 2 are three consecutive numbers $\Rightarrow a(a+1)(a+2)$ is a multiple by 3 \Rightarrow a (a + 1) (a + 2) is divisible by 3 as it is divisible by 2 and 3 hence divisible by 6. Case II : If a is odd $\Rightarrow a+1$ is even



 \Rightarrow a + 1 is divisible by 2

 $\Rightarrow a(a+1)(a+2)$ is also divisible by 2

Again a, a + 1, a + 2 are three consecutive numbers

 $\Rightarrow a(a+1)(a+2)$ is a multiple by 3

 \Rightarrow a (a + 1) (a + 2) is divisible by 3

as it is divisible by 2 and 3 hence divisible by 6.

55.

$$n^{3} - n = n(n^{2} - 1) = n (n - 1) (n + 1)$$
$$= (n - 1) (n) (n + 1)$$

= Product of three consecutive +ve integers

Now to show that produce of three consecutive +ve integers is divisible by 6.

Any +ve integer *a* is of the form 3q, 3q + 1 or 3q + 2 for some integer *q*.

Let a, a + 1, a + 2 be any three consecutive integers.

Case I : a = 3q

(3q)(3q+1)(3q+2) = 3q(2m) [as (3q+1) and (3q+2) are consecutive integers so their product is also even]

$$= 6q \text{ m}$$

which is divisible by 6.

Case II : If a = 3q + 1

a (a + 1) (a + 2) = (3q + 1) (3q + 2) (3q + 3)= 2m³(q + 1) (as (3q + 1) (3q + 2) = 2m) = 6 m (q + 1)

which is divisible by 6.

Case III : If
$$a = 3q + 2$$

$$a (a + 1) (a + 2) = (3q + 2) (3q + 3) (3q + 4)$$

= (3q + 2) 3(q + 1) (3q + 4)
= 6 m

which is divisible by 6.

57. 17

58. 4663

LCM of (468, 520) = 4680 \therefore Required no. = 4680 - 17 = 4663

59. HCF (396, 342) = 18

No. of boxes = $\frac{396 + 342}{18} = \frac{738}{18} = 41$

Mathematics-X

(12)

61. HCF (124, 72) = 4
$$4 = 124 \times 7 + 72 \times (-12), x = 7, y = -12$$

62. Let $\sqrt{n-1} + \sqrt{n+1} = \frac{p}{q}$ (1) $q \neq 0, p, q$, co-prime.

$$\frac{q}{p} = \frac{1}{\sqrt{n-1} + \sqrt{n+1}} \times \frac{\sqrt{n-1} - \sqrt{n+1}}{\sqrt{n-1} - \sqrt{n+1}}$$
$$\frac{q}{p} = \frac{\sqrt{n-1} - \sqrt{n+1}}{-2}$$
$$\sqrt{n-1} + \sqrt{n+1} = -\frac{2q}{p} \quad \text{or } \sqrt{n+1} - \sqrt{n-1} = \frac{2q}{p} \qquad \dots (2)$$

Adding (1) & (2) we get
$$2\sqrt{n+1} = \frac{p}{q} + \frac{2q}{p} = \frac{p^2 + 2q^2}{pq}$$
 ...(3)

Subtracting (1) & (2) we get
$$2\sqrt{n-1} = \frac{p^2 - 2q^2}{pq}$$
 ...(4)

From (3) & (4) we get $\sqrt{n+1} + \sqrt{n-1}$ are rational numbers.

But $\sqrt{n-1} + \sqrt{n+1}$ is an irrational number.

... These exist no positive integer *n*, for which $\sqrt{n-1} + \sqrt{n+1}$ is rational. 63. 109200

64. HCF of 60, 84 and 108 is $2^2 \times 3 = 12 = No.$ of participants in each row.

No. of rooms required =
$$\frac{\text{Total number of participants}}{12}$$

$$= \frac{60 + 84 + 108}{12} = 21 \text{ rooms}$$

HCF = 24, LCM = 540

65.

$$\frac{\text{LCM}}{\text{HCF}} = \frac{540}{24} = 22.5, \text{ not an integer.}$$

Hence two numbers cannot have HCF and LCM as 24 and 540 respectively.

66. [The LCM of (90, 144) - 20] = Required No. ⇒ Required No. = 700 If 720 = 144m + 90n then m = 5, n = 0, Yes
67. p = 2
68. HCF = 40, LCM = 560 ∴ Other No. = 80.



PRACTICE-TEST

Real Number

Time : 1 Hr.

M.M. : 20

SECTION A

1.	Check whether $17 \times 19 \times 21 \times 23 + 7$ is a composite number.	1	
2.	In Euclid's Division Lemma, when $a = bq + r$ where a, b are positive integer	ers	
	then what values <i>r</i> can take?	I	
3.	HCF of x^4y^5 and x^8y^3 .	1	
4.	LCM of 14 and 122.	1	
SECTION B			
5.	Show that 9^n can never ends with unit digit zero.	2	
6.	Without actual division find the type of decimal expansion of $\frac{805}{10500}$,	if	
	terminating, after how many places.	2	
7.	Show that the square of any odd integer is of the form $4m + 1$, for some integ	ger	
	т.		
		2	
SECTION C			

8.	Prove that $\frac{1}{3-2\sqrt{5}}$ is an irrational number.	3
----	---	---

9. Find the HCF of 36, 96 and 120 by Euclid's Lemma.

SECTION D

10. Once a sports goods retailer organized a campaign "Run to remember" to spread awareness about benefits of walking. In that Soham and Baani participated. There was a circular path around a sports field. Soham took 12 minutes to drive one round of the field, while Baani took 18 minutes for the same. Suppose they started at the same point and at the same time and went in the same direction. After how many minutes have they met again at the starting point?

Mathematics-X

15