

ORGANIC CHEMISTRY

MISCELLANEOUS

1. Match the compounds in LIST-I with the observation in LIST-II, and choose the correct option.

[JEE(Advanced) 2022]

LIST-I

- (I) Aniline
(II) o-Cresol
(III) Cysteine
(IV) Coprolactam

LIST-II

- (P) Sodium fusion extract of the compound on boiling with FeSO_4 , followed by acidification with conc. H_2SO_4 , gives Prussian blue color.
(Q) Sodium fusion extract of the compound on treatment with sodium nitroprusside gives blood red color.
(R) Addition of the compound to a saturated solution of NaHCO_3 results in effervescence.
(S) The compound reacts with bromine water to give a white precipitate.
(T) Treating the compound with neutral FeCl_3 solution produces violet color.


(A) I \rightarrow P, Q; II \rightarrow S; III \rightarrow Q, R; IV \rightarrow P

(C) I \rightarrow Q, S; II \rightarrow P, T; III \rightarrow P; IV \rightarrow S

(B) I \rightarrow P; II \rightarrow R, S; III \rightarrow R; IV \rightarrow Q, S


(D) I \rightarrow P, S; II \rightarrow T; III \rightarrow Q, R; IV \rightarrow P

2. The maximum number of possible isomers (including stereoisomers) which may be formed on *mono*-bromination of 1-methylcyclohex-1-ene using Br_2 and UV light is _____. [JEE(Advanced) 2021]
3. The reaction sequence(s) that would lead to *o*-xylene as the major product is (are) [JEE(Advanced) 2021]



4. Correct option(s) for the following sequence of reactions is(are)

[JEE(Advanced) 2021]



(A) Q = KNO_2 , W = LiAlH_4

(B) R = benzenamine, V = KCN

(C) Q = AgNO_2 , R = phenylmethanamine

(D) W = LiAlH_4 , V = AgCN


5. Fusion of MnO_2 with KOH in presence of O_2 produces a salt **W**. Alkaline solution of **W** upon electrolytic oxidation yields another salt **X**. The manganese containing ions present in **W** and **X**, respectively, are **Y** and **Z**. Correct statement(s) is (are) [JEE(Advanced) 2019]
- (A) **Y** is diamagnetic in nature while **Z** is paramagnetic
 (B) Both **Y** and **Z** are coloured and have tetrahedral shape
 (C) In both **Y** and **Z**, π -bonding occurs between p-orbitals of oxygen and d-orbitals of manganese.
 (D) In aqueous acidic solution, **Y** undergoes disproportionation reaction to give **Z** and MnO_2 .
6. Consider the following reactions (unbalanced)
- $$\text{Zn} + \text{hot conc. H}_2\text{SO}_4 \rightarrow \text{G} + \text{R} + \text{X}$$
- $$\text{Zn} + \text{conc. NaOH} \rightarrow \text{T} + \text{Q}$$
- $$\text{G} + \text{H}_2\text{S} + \text{NH}_4\text{OH} \rightarrow \text{Z (a precipitate)} + \text{X} + \text{Y}$$
- Choose the correct option(s). [JEE(Advanced) 2019]
- (A) The oxidation state of Zn in T is +1
 (B) Bond order of Q is 1 in its ground state
 (C) Z is dirty white in colour
 (D) R is a V-shaped molecule

Paragraph "X"

Treatment of benzene with CO/HCl in the presence of anhydrous $\text{AlCl}_3/\text{CuCl}$ followed by reaction with $\text{Ac}_2\text{O}/\text{NaOAc}$ gives compound **X** as the major product. Compound **X** upon reaction with $\text{Br}_2/\text{Na}_2\text{CO}_3$, followed by heating at 473 K with moist KOH furnishes **Y** as the major product. Reaction of **X** with $\text{H}_2/\text{Pd-C}$, followed by H_3PO_4 treatment gives **Z** as the major product.

(There are two questions based on PARAGRAPH "X", the question given below is one of them)

7. The compound **Y** is :- [JEE(Advanced) 2018]




Paragraph "X"

Treatment of benzene with CO/HCl in the presence of anhydrous $\text{AlCl}_3/\text{CuCl}$ followed by reaction with $\text{Ac}_2\text{O}/\text{NaOAc}$ gives compound **X** as the major product. Compound **X** upon reaction with $\text{Br}_2/\text{Na}_2\text{CO}_3$, followed by heating at 473 K with moist KOH furnishes **Y** as the major product. Reaction of **X** with $\text{H}_2/\text{Pd-C}$, followed by H_3PO_4 treatment gives **Z** as the major product.

(There are two question based on PARAGARAPH "X", the question given below is one of them)


[JEE(Advanced) 2018]

8. The compound **Z** is :-







Paragraph "A"

An organic acid P ($C_{11}H_{12}O_2$) can easily be oxidized to a dibasic acid which reacts with ethyleneglycol to produce a polymer dacron. Upon ozonolysis, P gives an aliphatic ketone as one of the products. P undergoes the following reaction sequences to furnish R via Q. The compound P also undergoes another set of reactions to produce S. [JEE(Advanced) 2018]




(There are two questions based on PARAGRAPH "A", the question given below is one of them)

9. The compound R is



Paragraph "A"





An organic acid P ($C_{11}H_{12}O_2$) can easily be oxidized to a dibasic acid which reacts with ethyleneglycol to produce a polymer dacron. Upon ozonolysis, P gives an aliphatic ketone as one of the products. P undergoes the following reaction sequences to furnish R via Q. The compound P also undergoes another set of reactions to produce S.








(There are two questions based on PARAGRAPH "A", the question given below is one of them)

[JEE(Advanced) 2018]

10. The compound S is



11. The desired product X can be prepared by reacting the major product of the reactions in LIST-I with one or more appropriate reagents in LIST-II. [JEE(Advanced) 2018]
(given, order of migratory aptitude: aryl > alkyl > hydrogen)



LIST-II

1. $I_2, NaOH$

2. $[Ag(NH_3)_2]OH$

3. Fehling solution

4. $HCHO, NaOH$

5. $NaOBr$

The correct option is




(A) $P \rightarrow 1; Q \rightarrow 2,3; R \rightarrow 1,4; S \rightarrow 2,4$

(C) $P \rightarrow 1,5; Q \rightarrow 3,4; R \rightarrow 5; S \rightarrow 2,4$




(B) $P \rightarrow 1,5; Q \rightarrow 3,4; R \rightarrow 4,5; S \rightarrow 3$

(D) $P \rightarrow 1,5; Q \rightarrow 2,3; R \rightarrow 1,5; S \rightarrow 2,3$

12. LIST-I contains reactions and LIST-II contains major products. [JEE(Advanced) 2018]



LIST-II



Match each reaction in LIST-I with one or more product in LIST-II and choose the correct option.

(A) $P \rightarrow 1,5; Q \rightarrow 2; R \rightarrow 3; S \rightarrow 4$

(C) $P \rightarrow 1,4; Q \rightarrow 1,2; R \rightarrow 3,4; S \rightarrow 4$

(B) $P \rightarrow 1,4; Q \rightarrow 2; R \rightarrow 4; S \rightarrow 3$

(D) $P \rightarrow 4,5; Q \rightarrow 4; R \rightarrow 4; S \rightarrow 3,4$


Answer Q.13, Q.14 and Q.15 by appropriately matching the information given in the three columns of the following table. [JEE(Advanced) 2017]

Column-1	Column-2	Column-3
(I) Toluene	(i) NaOH/Br ₂	(P) Condensation
(II) Acetophenone	(ii) Br ₂ / hν	(Q) Carboxylation
(III) Benzaldehyde	(iii) (CH ₃ CO) ₂ O/CH ₃ COOK	(R) Substitution
(IV) Phenol	(iv) NaOH/CO ₂	(S) Haloform

13. For the synthesis of benzoic acid, the only CORRECT combination is
 (A) (III) (iv) (R) (B) (IV) (ii) (P) (C) (I) (iv) (Q) (D) (II) (i) (S)
14. The only CORRECT combination in which the reaction proceeds through radical mechanism is
 (A) (I) (ii) (R) (B) (II) (iii) (R) (C) (III) (ii) (P) (D) (IV) (i) (Q)
15. The only CORRECT combination that gives two different carboxylic acids is
 (A) (IV) (iii) (Q) (B) (III) (iii) (P) (C) (II) (iv) (R) (D) (I) (i) (S)
16. Compound P and R upon ozonolysis produce Q and S, respectively. The molecular formula of Q and S is C₈H₈O. Q undergoes Cannizzaro reaction but not haloform reaction, whereas S undergoes haloform reaction but not Cannizzaro reaction. [JEE(Advanced) 2017]





The option(s) with suitable combination of P and R, respectively, is(are)



17. Among [Ni(CO)₄], [NiCl₄]²⁻, [Co(NH₃)₄Cl₂]Cl, Na₃[CoF₆], Na₂O₂ and CsO₂, the total number of paramagnetic compounds is - [JEE(Advanced) 2016]
 (A) 2 (B) 3 (C) 4 (D) 5
18. In dilute aqueous H₂SO₄, the complex diaquodioxalatoferate(II) is oxidized by MnO₄⁻. For this reaction, the ratio of the rate of change of [H⁺] to the rate of change of [MnO₄⁻] is - [JEE(Advanced) 2015]

Paragraph for Question No. 19 and 20

Schemes 1 and 2 describe sequential transformation of alkynes M and N. Consider only the major products formed in each step for both the schemes. [JEE(Advanced) 2014]




19. The product X is -





20. The correct statement with respect to product Y is -

- (A) It gives a positive Tollens test and is a functional isomer of X
 (B) It gives a positive Tollens test and is a geometrical isomer of X
 (C) It gives a positive Iodoform test and is a functional isomer of X
 (D) It gives a positive Iodoform test and is a geometrical isomer of X


21. Match the four starting materials (P, Q, R, S) given in List I with the corresponding reaction scheme (I, II, III, IV) provided in List - II and select the correct answer using the code given below in lists. [JEE(Advanced) 2014]




List - II
 (1) Scheme I





(2) Scheme II






(3) Scheme III



(4) Scheme IV




Code :

	P	Q	R	S
(A)	1	4	2	3
(B)	3	1	4	2
(C)	3	4	2	1
(D)	4	1	3	2

SOLUTIONS


1. Ans. (D)

Sol.



Aniline

: Blue colour in Lassaign test due to presence of N




o-Cresol

: Violet colour with FeCl_3 due to presence of phenolic OH



Cystein


: It gives blod red colour with NaSCN



Caprolactam

: Blue colour in Lassaign test due to presence of N




2. Ans. (9 or 13 or 12)




Total 13 product


3. Ans. (A, B)

Sol.











4. Ans. (C, D)






5. Ans. (2, 3, 4)




\therefore In acidic solution; Y undergoes disproportionation reaction




6. Ans. (2, 3, 4)



7. Ans. (C)




8. Ans. (A)




9. Ans. (A)

10. Ans. (B)




Solution for Q. No. 9 & 10






11. Ans. (D)

12. Ans. (B)




13. Ans. (D)



Sol. (II)(i)(S)



(R)




(P)




(S)



14. Ans. [A](I)(ii)(R)



mechanism involved is free radical substitution




Acetophenone




(No free radical mechanism)

15. Ans. (B)





It is perkin condensation reaction


Mechanism




16. Ans. (A, C)



(B) Product of ozonolysis of R is having 9 carbon.



give cannizzaro reaction
but no haloform



no cannizzaro
but give haloform

(D) Product of ozonolysis of R is having 9 carbon.


17. Ans. (B)

Sol. Compound/Ion Magnetic nature of compound

- [Ni(CO)₄] Diamagnetic
- [NiCl₄]²⁻ Paramagnetic
- [Co(NH₃)₄Cl₂]Cl Diamagnetic
- Na₃[CoF₆] Paramagnetic
- Na₂O₂ Diamagnetic
- CsO₂ Paramagnetic

So total number of paramagnetic compounds is 3.



18. Ans. (8)



$$\frac{r_{\text{H}^+}}{r_{\text{MnO}_4^-}} = 8$$


19. Ans. (A)


Sol. The product X is



20. Ans. (C)

Sol.



Y is functional isomer of X  and Y will give Iodoform test positive but Tollen's test negative.

21. Ans. (C)

Sol.

