REPRODUCTION IN ORGANISMS

BIOLOGY

Single Correct Answer Type

- 1. Clone is two or more individuals which are similar:
 - a) Genetically
- b) Morphologically
- c) Sexually
- d) Both (A) and (B)

- 2. Which of the following is wrongly matched pair?
 - a) Tuber-Potato
- b) Rhizome-Ginger
- c) Bulbil-Agave
- d) Leaf buds-Banana

- 3. Bamboo species flower only in
 - a) 50-100 yrs
- b) 25-50 yrs
- c) 75-100 yrs
- d) 60-80 yrs

- 4. Somaclonal variation appears in plants:
 - a) Growing in polluted soil or water
 - c) Raised in tissue culture

- b) Exposed to gamma rays
- d) Transformed by recombinant DNA technology
- 5. During favourable conditions, *Amoeba* reproduces by:
 - a) Binary fission

6.


- b) Multiple fission
- c) Both of these


d) Parthenogenesis

b) Syngamy

d) None of these

- Asexual reproduction in plants is called
 - a) Vegetative reproduction
 - c) Parthenocarpy
- 7. Identify the following diagram
- ving diagram





- a. Zoospore in *Chlamydomonas* b. Conidia of *Penicillium*
- c. Buds in Hydra
- d. Gemmules in sponge

All the above are

- a) Bodies involved in sexual reproduction
- b) Bodies involved in asexual reproduction

c) Bodies of young ones

- d) All the above are correct
- 8. The process of release of egg from the ovary is called:
 - a) Reproduction
- b) Ovulation
- c) Menstruation
- d) Insemination

- 9. Juvenile phase in plants, is
 - a) Vegetative phase
- b) Reproductive phase
- c) Growth phase
- d) Senescence phase

10. Essential and most critical event in sexual reproduction is

| | a) Fertilization | b) Fusion of male and female gemetes | | | | |
|-------------|---|--------------------------------------|---------------------------------------|--|--|--|
| | c) Division in male and female gametes | d) Both (a) and (b) | | | | |
| 11. | | | | | | |
| | The above figure depicts | | | | | |
| | a) Budding b) Binary fission | c) Fission | d) Zoospore | | | |
| 12. | Find out correct order of vegetative propagules of pl | | | | | |
| | water hyacinth | | y y y | | | |
| | a) Offset, bulbil, leaf bud, rhizome and eyes | b) Leaf bud, bulbil, offset, | rhizome and eyes | | | |
| | c) Eyes, rhizome, bulbil, leaf bud and offset | d) Rhizome, bulbil, leaf bu | = = = = = = = = = = = = = = = = = = = | | | |
| 13. | Nuclear membrane is absent in: | • | • | | | |
| | a) Monera b) Protista | c) Fungi | d) Plantae | | | |
| 14. | Bryophyllum can be propagated vegetatively by: | | | | | |
| | a) Stem b) Root | c) Leaf | d) Flower | | | |
| 15. | Self-fertilisation occurs in the | | | | | |
| | a) Bisexual flower b) Unisexual flower | c) Both (a) and (b) | d) Monoecious flower | | | |
| 16. | Vegetative propagation in <i>Pistia</i> occurs by: | | | | | |
| | a) Stolon b) Offset | c) Runner | d) Sucker | | | |
| 17. | One of the followings is not the characteristic feature | e of cyanobacteria: | | | | |
| | a) They are multicellular | b) They form colonies | | | | |
| | c) They form blooms in polluted water bodies | d) They can fix atmospher | ric nitrogen | | | |
| 18. | The condition, in which, both male and female repro | - | - | | | |
| | a) Unisexual b) Bisexual | c) Both (a) and (b) | d) Monoecious | | | |
| 19. | Male gametes are also called | | | | | |
| | a) Antherozoid b) Sperm | c) Egg | d) Both (a) and (b) | | | |
| 20. | Bamboo plant flowers only once in their life time, ge | | - | | | |
| | and die. Blue stretches were formed by flowering of | | hiana in Kerala, Karnataka | | | |
| | and Tamil Nadu. It flowers once in how many years? | | 12.40 | | | |
| 24 | a) 15 years b) 12 years | c) 20 years | d) 48 years | | | |
| 21. | The "eyes" of the potato tubers are: | .) Ch l l. | J) A 211 1 1. | | | |
| 22 | a) Root buds b) Flower buds | c) Shoot buds | d) Axillary buds | | | |
| <i>ZZ</i> . | Who worked on embryological aspects and populari | _ | <u>=</u> | | | |
| 22 | a) P. Guha b) P. Maheshwari | c) Ivanovosky | d) D. Graaf | | | |
| 43. | Vegetative propagation by leaf takes place in: a) Ginger b) Bryophyllum | c) Rose | d) <i>Duranta</i> | | | |
| 24 | Binary fission is the mode of asexual reproduction in | | a) Duranta | | | |
| 44. | a) <i>Amoeba</i> b) <i>Paramecium</i> | c) Both (a) and (b) | d) Yeast | | | |
| 25 | The part where fertilization of ovum takes place in r | | • | | | |
| 25. | a) Ovary b) Uterus | c) Vagina | d) Fallopian tube | | | |
| 26. | Grafting is used to propagate plants because: | c) vagina | a) ranopian tabe | | | |
| _0. | a) It is faster than seeds | | | | | |
| | b) It maintains a desired set of genetic characteristic | CS . | | | | |
| | c) It combines the genetic characteristics of two des | | | | | |
| | d) A plant can produce many more scions than seeds | - | | | | |
| 27. | Seasonal breeders are the organisms which reprodu | | | | | |
| | a) Favourable season only | b) Unfavourable season o | nly | | | |
| | c) Maturation period | d) Juvenile period | | | | |
| | | | | | | |

| 28. | Flower of Hibiscus is: | | |
|-----|---|--------------------------------|------------------------------|
| | a) Bisexual b) Unisexual | c) Neuter | d) Very small |
| 29. | Life span of Cow is 20-25 years. What is the life | span of horse? | |
| | a) 140 years b) 20-30 years | c) 100-150 years | d) 60 years |
| 30. | 'Bisexual animals that possess both male and fe | emale reproductive organs are | called hermaphrodite'. The |
| | above statement is | | |
| | a) True | b) False | |
| | c) Sometimes (a) and sometimes (b) | d) Neither (a) and (b) | |
| 31. | Regeneration of a plant cell to give rise to new | plant is called: | |
| | a) Reproduction b) Budding | c) Totipotency | d) Pleuripotency |
| 32. | Which of the following is hermaphrodite? | | |
| | a) Ant b) Aphids | c) Earthworm | d) Cockroach |
| 33. | The separation of single cell from the rest of the | e callus is: | |
| | a) Organ culture b) Tissue culture | c) Basal medium | d) Nurse tissue |
| 34. | Vivipary is observed in: | | |
| | a) Banyan b) <i>Bryophyllum</i> | c) Ipomea | d) <i>Rhizophora</i> |
| 35. | Vegetative propagation in <i>Pistia</i> occurs by: | | |
| | a) Stolon b) Offset | c) Runner | d) Sucker |
| 36. | Rhizopus reproduces asexually by: | | |
| | a) Conidia b) Spores | c) Gemma | d) Bulbil |
| 37. | Reproduction is a biological process in which a | n organism give rise to young | ones (offspring) similar to |
| | itself. An organism's method of reproduction de | epends upon factors: | |
| | a) Habitat b) Internal physiolog | gy c) Genitalia | d) All of above |
| 38. | Use of stem cutting is common method of veget | tative propagation. Juvenile w | ood grows roots more readily |
| | than mature wood. The superior rooting of juve | enile cutting may be due to: | |
| | a) Lower ABA contents | b) Higher endogenous a | auxin contents |
| | c) Higher endogenous gibberellins contents | d) They being still in th | e vegetative stage |
| 39. | Events in the diagram are (in sequential order) | | |
| | \()\\ | | |
| | W W | | |
| | | | |
| | | | |
| | a) Fission of gametes \rightarrow new individual \rightarrow zygo | te | |
| | b) Fusion of gametes → zygote → new individual | | |
| | c) Fission of gametes → zygote → new individu | • | |
| | d) Stages in the gametogenesis | (**** =.**) | |
| 40. | Examples of vegetative propagation are | | |
| | a) Rhizome b) Tuber | c) Offset | d) All of these |
| 41. | Gametogenesis is the formation of | c, 511550 | a, 1111 01 011000 |
| | a) Male gamete b) Female gamete | c) Both (a) and (b) | d) Spore |
| 42. | Which of the following require water for gamet | . ,, | a) spere |
| | a) Algae, bryophytes and pteridophyte | b) Pteriodophyles only | |
| | c) Gymnosperms | d) Angiosperms | |
| 43. | During embryogenesis the zygote undergoes | a) imgreeperme | |
| 10. | a) Cell division (mitosis) | b) Cell division (meiosi | s) |
| | c) Cell differentiation | d) (a) followed by (c) | -) |
| 44. | Find out the wrong pair with respect to numbe | | es: |
| * = | a) Fruit fly -8 b) Apple -36 | c) Rice -24 | d) House fly -12 |
| 45. | Which of the following is pollinated by water? | , | , , |
| | | | |


- a) Viola
- b) Yucca
- c) Oxalis
- d) Zostera

- 46. Large number of offspring produced in the case of
 - a) Fertilization that occur in external medium
 - b) Fertilization that occur in internal medium
 - c) Either (a) or (b)
 - d) Both (a) and (b)
- 47. The period from birth to natural death is called
 - a) Life span
- b) Life cycle
- c) Life style
- d) Reproductive phase

- 48. Reproduction takes place in which stage of life span
 - a) Juvenile stage
- b) Maturation stage
- c) Reproductive stage
- d) Ageing phase

- 49. In case of Marchantia, antheridiophore is produced by:
 - a) Female thallus
- b) Male thallus
- c) Monoecious plant
- d) None of above

50. Identify the gametes in fig *A*, *B* and *C*



- a) A-Heterogametes, B-Isogametes, C-Homogametes
- b) A-Homogametes, B-Isogametes, C-Heterogametes
- c) A-Isogametes, B-Heterogametes, C-Heterogametes
- d) A-Heterogametes, B-Heterogametes, C-Isogametes
- 51. Isogamous condition with non-flagellated gametes is found in:
 - a) Spirogyra
- b) Volvox
- c) Fucus
- d) Chlamydomonas
- 52. Which of the following statement support the view that elaborate sexual reproductive processes appeared much later in organic evolution?
 - I. Lower groups of organisms have complex body design
 - II. Asexual reproduction is common in lower groups
 - III. Asexual reproduction is common in higher groups of organisms
 - IV. High incidences of sexual reproduction are visible in angiosperms and vertebrates
 - a) I and II
- b) I and IV
- c) II and IV
- d) II and III
- 53. Name the plants, the structures of which are given in the previous question and select the correct answer the given option

| A | | В | | С | | D | | Е | | |
|----|-----|---|----|----|-------|----|------|-------|-------|----|
| a) | Po | t | Gi | n | Bryo | p | Wate | Water | | re |
| | - | | - | | - | | hyac | i- | | |
| | ato | 0 | ge | er | hyllı | I | nth | | | |
| | | | | | m | | | | | |
| b) | Po | t | Gi | n | Wate | er | Agav | e | Bryo | p |
| | - | | - | | - | | | | - | |
| | ato | 0 | ge | er | hyac | i | | | hyllı | I |
| | | | | | nth | | | | m | |
| c) | Po | t | Gi | n | Bryo | p | Agav | e | Wate | er |
| | - | | - | | - | | | | hyac | i- |
| | ato |) | ge | er | hyllu | l | | | nth | |
| | | | | | m | | | | | |
| d) | Po | t | Gi | n | Agav | e | Bryo | p | Wate | er |

| | | | 1 | | hyraci | 1 | | | | | |
|------------|---|----------|------------|------------|---------------|-------------------|------------------------------------|---------------|------------------------|--|--|
| | ato | - cor | | - hyllu | hyaci- nth | | | | | | |
| | ato | ger | | m | 11(11 | | | | | | |
| 54. | Paramet | ers of | old age a | | | 1 | | | | | |
| | a) End of | | _ | | | | b) Concomitant | changes in | the body | | |
| | c) Slowin | _ | | = | S | d) All of the abo | _ | · | | | |
| 55. | Bud graf | _ | | = | | | - | | | | |
| | a) Litchi | _ | | = | megrana | ate | c) Rose | | d) Jasmine | | |
| 56. | Immorta | | ziduals ar | - | J | | | | | | |
| | a) Single | celled | d organis | ms | | | b) Double celled | l organisms | 5 | | |
| | c) Multi- | | _ | | | | d) Green plants | Ü | | | |
| 57. | Air layer | ing is | performe | ed in case | e of: | | | | | | |
| | a) Jasmii | _ | - | | apevine | | c) Goose berry | | d) Litchi | | |
| 58. | | | ual repro | - | - | generates: | • | | | | |
| | a) Prolog | | = | | | | | combinatio | n leading to variation | | |
| | c) Large | - | - | | | | d) Longer viabil | | = | | |
| 59. | When ma | ature a | anthers o | of Dature | a inxonic | a are culture | ed in a culture me | = | | | |
| | phytoho | rmone | e named l | kinetin, c | oconut r | nilk and plu | m juice, several e | mbryos car | be obtained floating | | |
| | inside th | e mici | rosporan | gia. Thes | e embry | os can devel | lop into plants tha | at are: | _ | | |
| | a) Haplo | id | | b) Di | ploid | | c) Tetraploid | | d) Both (A) and (B) | | |
| 60. | In papay | a, the | flowers, | are: | | | | | | | |
| | a) Unise | xual | | | | | b) Bisexual | | | | |
| | c) Neute | r | | | | | d) Flowers are r | not formed | | | |
| 61. | In ovipar | ous ir | ndividual | s the fert | tilized eg | g is covered | l by | | | | |
| | a) Calcar | eous | shell | b) Ph | osphoru | s cell | c) Both (a) and | (b) | d) Hard shell | | |
| 62. | Improve | d met | hod of gr | afting is: | | | | | | | |
| | a) Both s | scion a | and stock | plants a | re allowe | ed to remair | n b) Stock and sci | on are give | n oblique cuts | | |
| | intact | | | | | | | | | | |
| | c) Both (| | | | | | d) None of the above | | | | |
| 63. | Banana i | | tiplied by | | | | | | | | |
| | a) Seeds | | | - | af margi | | c) Rhizome | | d) Offsets | | |
| 64. | _ | | = | _ | els of mir | ierals, vitam | nins and proteins is called: | | | | |
| | a) Somat | - | | n | | | b) Bioforfication | | | | |
| . = | c) Micro | | _ | , | | | d) Biomagnification | | | | |
| 65. | _ | | - | _ | | ganism from | | | D. F. | | |
| ((| a) Single | | | • | | led zygote | c) Haploid zygo | | d) From gametes | | |
| 00. | a) Pith ce | | araja der | แบบระเาสโ | eu callus | ı. e., embry | oids in buttercup b) Mesodermal | | יווט וו פּקינ: | | |
| | , | | olla of br | ma aatul | nagion | | - | cens | | | |
| 67. | c) Epider Clones ar | | ens of my | pocotyr | egion | | d) Cortex cells | | | | |
| 07. | a) Morph | | cally cim | ilar indix | riduale | | b) Genetically si | imilar indiv | iduale | | |
| | | _ | - | nai muiv | luuais | | d) None of the a | | iuuais | | |
| 68 | c) Both (a) and (b) . Micropropagation is based on: | | | | | | uj None of the a | DOVC | | | |
| 00. | a) Tissue | | | | bridizat | ion | c) Microtomy | | d) Genetic control | | |
| 69. | Grafting | | | | | | 5, 1 1101 0 to 111y | • | , | | |
| ٠,٠ | | | | р | | b) Buds | | | | | |
| | a) Adventitious rootsc) Folliage leaves and herbaceous stems | | | | | | d) Secondary gr | owth | | | |
| 70. | Chances | _ | | | | |) | - | | | |
| | a) Fishes | | · 01 y | | 6- 00 | | b) Eutherian ma | ammals | | | |
| | c) Birds | | | | | | d) Amphibians | | | | |
| 71. | - | , vege | tative pr | opagatio | n takes r | olace by: | , r | | | | |
| =- | 71. In potato, vegetative propagation takes place by: | | | | | | | | | | |

| | a) Root | b) Leaf | c) Grafting | d) Stem tuber |
|------|------------------------------|---------------------------------|------------------------------|---|
| 72. | | • | ore variation than those for | • |
| | reproduction because | | | |
| | a) Sexual reproduction is | a lengthy process | | |
| | | ve quantitatively different g | genetic composition | |
| | | s from two parents of same | - | |
| | _ | is involved in sexual repr | _ | |
| 73 | Syngamy means: | i is mivorved in sexual repro | oddellon | |
| , 5. | a) Fusion of similar spore | c | b) Fusion of dissimilar spo | nres |
| | c) Fusion of cytoplasm | 3 | d) Fusion of gametes | ores |
| 74 | | common mode of reproduc | = | |
| , 1. | a) True | ommon mode of reproduc | b) False | |
| | c) Sometimes (a) and son | netimes (h) | d) Neither (a) nor (b) | |
| 75. | Strobilanthus kunthiana | , , | a) weither (a) nor (b) | |
| , 0. | a) Neela Kuranji | b) Peela Kuranji | c) Hara Kuranji | d) Violet Kuranji |
| 76 | - | ary fission. This sentence is | - · · | aj violet italaliji |
| , 0. | a) True | ary mosion. This semence is | b) False | |
| | c) Sometimes (a) and Son | netimes (h) | d) Neither (a) nor (b) | |
| 77. | Vegetative type of reprod | | a) receiver (a) nor (b) | |
| | a) Plant portion is used as | | | |
| | b) Seed is used as a means | | | |
| | c) Flower is used as a mea | | | |
| | d) None of the above | 1. L. L. O | | |
| 78. | Transverse binary fission | occurs in | | |
| | a) Euglena | b) <i>Amoeba</i> | c) <i>Hydra</i> | d) <i>Paramecium</i> |
| 79. | , , | , characters of parent plant | · · | , |
| | a) Changed | b) Not preserved | c) Preserved | d) Exchanged |
| 80. | , 0 | • | which participation of | , 0 |
| | a) One individual | b) Two individuals | = = | d) Meiosis |
| 81. | Common mode of reprodu | action in <i>Penicillium</i> is | | |
| | a) Conidia | b) Buds | c) Gemmules | d) Zoospore |
| 82. | An example of corm is | | | |
| | a) Ginger | b) <i>Colocasia</i> | c) Onion | d) Potato |
| 83. | Corm is modification of: | | | |
| | a) Root | b) Leaf | c) Stem | d) Bud |
| 84. | Female gametes are also o | called | | |
| | a) Egg | b) Ovum | c) Both (a) and (b) | d) Antherozoid |
| 85. | Which of the following ha | ve haploid plant body in m | ost of organisms? | |
| | a) Monera | | b) Fungi | |
| | c) Algae and Bryophytes | | d) All of above | |
| 86. | The most significant value | e of vegetative propagation | is that: | |
| | a) It enables rapid produc | ction of genetic variation | | |
| | b) It is a means of product | ing a large population of in | dividuals genetically identi | cal to the parent |
| | c) It ensures that the prog | geny are safe from attack of | f diseases and practice | |
| | d) It is an ancient practice | } | | |
| 87. | Embryogenesis is process | of development of embryo | from the zygote. During th | iis process zygote |
| | undergoes: | | | |
| | a) Meiosis | b) Cell division (mitosis) | | |
| | c) Cell differentiation | | d) Both (B) and (C) | |
| 88. | Embryo sac is found in: | | | |
| | a) Endosperm | b) Embryo | c) Ovule | d) Seed |

- 89. *Hydra* reproduces asexually through:
 - a) Fragmentation
- b) Budding
- c) Binary fission

b) Condensed internode

b) Chlamydomonas-Conidia

d) Interspread corm

d) Sporulation

- 90. Eyes on the potato, sugar cane, ginger are
 - a) Condensed nodes
 - c) Interspread rhizome
- 91. Which one of the following is correctly matched?
 - a) Ginger-Sucker
 - c) Yeast-Zoospores
- 92. Period of pregnancy is called:
 - a) Gestation period
- b) Incubation period
- c) Pre-patent period


d) Onion-Bulb

d) Blastulation

- 93. Menstrual cycle is completed in:
 - a) 30 Days
- b) 31 Days
- c) 28 Days
- d) 27 Days

- 94. Reproduction is
 - a) Biological process of producing young ones
 - b) Non-biological process of producing young ones
 - c) Biological process of producing mature ones
 - d) None of the above
- 95. Why water hyacinth is called Terror of Bengal?
 - a) It is being used as food for fish
 - b) It consumes oxygen from cultivated plant and destroy them
 - c) It consumes oxygen from water and decreases O_2 concentration in water
 - d) It is a weed
- 96. Development of fruit without fertilization is called:
 - a) Cell division
- b) Cell culture
- c) Parthenocarpy
- d) Parthenogenesis

97. Give the name of the following diagram



- a) A-Male cockroach, B-Funaria, C-Unisexual flower
- b) A-Male cockroach, B-*Marchantia*, C-Bisexual flower
- c) A-Female cockroach, B-Cycas, C-Unisexual flower
- d) A-Female cockroach, B-Marchantia, C-Bisexual flower
- 98. In diploid organism the gamete producing cells are called
 - a) Gamete mother cell
- b) Meiocytes
- c) Both (a) and (b)
- d) None of these

- 99. Clone is a group of individuals got through:
 - a) Self pollination

b) Cross pollination

c) Vegetative propagation

d) Hybridization

- 100. Zoospores are
 - a) Motile gametes

- b) Female motile gametes
- c) Sessile gametes d) Female sessile gametes
- 101. In oviparous individuals development of zygote takes place

- a) Outside the body
- c) Inside the freshwater
- 102. Which is correct about anthers. They are:
 - a) Haploid
 - c) Diploid as well as triploid
- 103. In grafting scion forms:
 - a) Shoot system
- b) Root system
- c) New plant

b) Diploid

b) Inside the body

d) Inside the marine water

d) Haploid, diploid and triploid

d) Hybrid plant


- 104. Vegetative propagation in mint occurs by:
 - a) Runner
- b) Offset
- c) Rhizome
- d) Sucker

- 105. Division in a bacterial cell is carried out through
 - a) Multiple fission
- b) Binary fission
- c) Budding
- d) Plasmotomy

- 106. During oogenesis, each diploid oocyte produces:
 - a) Four functional ova

c) Four functional polar bodies

- b) Two functional eggs and two polar bodies
- d) One functional egg and three polar bodies
- 107. Choose the option with correct identification of *A*, *B*, *C*, *D* and *E* given below:



| Α | A B | | С | D | Е |
|----|------------|--------------|------|-------------|------------|
| a) | Tuber | Rhizome | Eyes | Leaf bud | offset |
| c) | Offse t | Leaf buds | Eyes | Stolon | Suck er |

| b) | Offse | Eyes | I | ∟eaf | Stolon | Suck | |
|----|-------|---------|---|--------|--------|--------|--|
| | t | | b | oud | | er | |
| d) | Tuber | Rhizome | è | Bulbil | Leaf | offset | |
| | | | | | buds | | |

- 108. Which one of the following pairs is wrongly matched, while the remaining three are correct?
 - a) Bryophyllum Leaf buds

b) Agave -Bulbils

c) Penicillium - Conidia

- d) Water hyacinth -runner
- 109. 'Unisexual male flower is called pistillate'. The above statement is
 - a) True

b) False

- c) Sometimes (a) and sometimes (b)
- d) Neither (a) nor (b)
- 110. In which of the following organisms self fertilisation is seen?
 - a) Fishes
- b) Leech
- c) Earthworm
- d) Liverfluke

- 111. One of the following is not a method of asexual reproduction:
 - a) Cutting
- b) Grafting
- c) Budding
- d) Conjugation
- 112. Parthenogenesis is the process in which new organism is formed
 - a) With fertilization
- b) Without fertilization
- c) Through mitosis

b) Occur inside the body

d) Through meiosis

- 113. Internal fertilization is the one in which syngamy
 - a) Occur outside the body
- c) Followed by meiosis

d) None of these

- 114. Terror of Bengal is
 - a) Freshwater plant called water lily
 - c) Aquatic plant called water hyacinth
- b) Marine plant called water propagules
- d) None of the above

| 115. | A scion is grafted to stock | κ. The quality of fruits prod | duced will be determined by | y the genotype of: |
|------|---------------------------------------|---|---|---|
| | a) Stock | | b) Scion | |
| | c) Both stock and scion | | d) Neither stock nor scio | n |
| 116. | Oestrus cycle is cyclic cha | anges in the activities of ov | varies and accessory duct d | uring |
| | a) Reproductive (seasons | al) period | b) Maturation period | |
| | c) Ageing period | | d) Juvenile period | |
| 117. | 'Unisexual female flower | is called staminate'. The a | bove statement is | |
| | a) True | | b) False | |
| | c) Sometimes (a) and son | netimes (b) | d) Neither (a) nor (b) | |
| 118. | Animals giving birth to ye | oung ones are: | | |
| | a) Oviparous | b) Ovoviviparous | c) Viviparous | d) Both (B) and (C) |
| 119. | Pollination is | | | |
| | a) Transfer of gametes or | n stigma | b) Transfer of male game | etes on stigma |
| | c) Transfer of female gan | netes on stigma | d) Fusion of male and fer | nale gametes |
| 120. | | n vegetative reproduction | = | |
| | a) Both occur round the | = = | b) Both produce progeny | identical to the parent |
| | c) Both are applicable to | | d) Both bypass the flowe | = |
| 121. | | ants can be vegetatively pr | | |
| | a) Bryophyllum and Kal | = | b) Chrysanthemum and | Agave |
| | c) Agave and Kalanchoe | | d) Asparagus and Bryon | ohyllum |
| 122. | Which is not a method of | | , | |
| | a) Micropropagation | b) Sowing | c) Budding | d) Layering |
| 123. | , , , , | chnique for the production | = | , , , |
| | a) New plant | b) Haploid pants | c) Hybrid variety | d) Somaclonal plants |
| 124. | Largest bird is: | v)p p | ·, ·-, · · · · · · · · · · | |
| | a) Emu | b) Penguin | c) Kiwi | d) Ostrich |
| 125. | Diploid zygote is universa | , , | o, | a) 55011011 |
| 120. | a) All sexually reproduci | | | |
| | b) All asexually reproduc | | | |
| | | ally reproducing organism | 10 | |
| | d) All plants and animals | | 10 | |
| 126 | , 1 | | ent on the different plant, is | called |
| 120. | a) Heterothallic | b) Dioecious | c) Unisexual | d) All of these |
| 127 | Cell division is the mode | • | c) omsexual | uj Ali oi tilese |
| 14/. | a) Monera | b) Protista | c) Both (a) and (b) | d) Plants |
| 120 | Man is: | b) Frotista | c) both (a) and (b) | u) Flailts |
| 120. | a) Unisexual | b) Bisexual | c) Hermaphroditic | d) Protogynous |
| 120 | Events in the sexual repr | • | c) hermapmount | u) Frotogyllous |
| 129. | I. Pre-fertilisation | oduction | | |
| | II. Fertilisation | | | |
| | III. Post-fertilisation | | | |
| | The sequential order of the | heir occurrence is | | |
| | a) $I \rightarrow III \rightarrow II$ | b) II \rightarrow I \rightarrow III | c) III \rightarrow II \rightarrow I | d) I \rightarrow II \rightarrow III |
| 130. | Asexual reproduction is o | • | , | • |
| | a) Single parent | , | b) Without fusion of gam | etes |
| | c) With or without forma | tion of gametes | d) All of above | |
| 131. | = | - | guished from the non-living | things on the basis of their |
| -011 | ability for: | anonophonany anothing | o | ,go on the babie of their |
| | | onment and progressive e | volution | |
| | b) Reproduction | | | |
| | c) Growth and movemen | t | | |
| | -, | - | | |

| d) Re | sponsive to touch | | | | |
|----------------|---------------------------------|-------------------------------|------|---------------------------|--------------------------|
| 132. Fusio | n of male and femal | e gametes is called | | | |
| a) Syr | ngamy | b) Fertilization | c) | Both (a) and (b) | d) Heterogamy |
| 133. Meios | is takes place in: | | | | |
| a) Co | - | b) Gemmule | c) | Megaspore | d) Meiocyte |
| - | n one is female game | | | 0 1 | |
| a) Em | = | b) Embryo sac | c) | Endosperm | d) Synergid |
| 135. Callus | = | 5) 211151 9 5 50 5 | ٠, | 2 | a) of nor gra |
| | ganized mass of the | cell | h) | Differentiated mass of t | he cell |
| , | differentiated mass | | _ | Undifferentiated mass of | |
| • | | ig large number of plantlets | _ | | |
| | ntlet culture | b) Organ culture | | Micropropagation | d) Macropropagation |
| = | | ed in the propagation of: | C | Micropropagation | d) Macropropagation |
| | | | ره | Cugar gana | d) Catton |
| a) Bar | | b) Mango | C) | Sugar cane | d) Cotton |
| | - | cess of development of | - 3 | 1.40.14.4 | District |
| a) Em | - | b) Endosperm | - | Individual | d) Internal organs |
| | - | correct about Neela Kuranj |]1? | | |
| = | | red in Sept-Oct.2006 | | | |
| = | | lower in Sept-Oct.2018 | | | |
| = | | amil Nadu and Karnataka | | | |
| - | of the above | | | | |
| _ | atively propagated _l | plants: | | | |
| = | ne of their parent | | - | Show adaptive variatio | ns |
| c) Bet | ter fitted for strugg | le for existence | d) | Stouter than parents | |
| 141. Mens | crual cycle is | | | | |
| a) Sea | sonal hormonal ova | arian change | b) | Conditional hormonal of | ovarian change |
| c) Pei | riodic hormonal ova | rian change | d) | Habitual hormonal ova | rian change |
| 142. If the | parent body is hapl | oid then the gametes are | | | |
| a) Ha | ploid | b) Diploid | c) | Triploid | d) None of these |
| 143. Which | of the following is | not immortal? | | | |
| a) Bai | nyan tree | b) Amoeba | c) | Euglena | d) Paramecium |
| 144. Even | in absence of pollina | ating agents seed-setting is | | | |
| a) <i>Zo</i> . | | b) Salvia | | Fig | d) Commellina |
| 145. Many | scientists consider | viruses as living entities be | cau | se these: | • |
| a) Re | | Ü | | Can cause diseases | |
| - | oroduce (inside hos | t) | - | Respond to tough envir | onment |
| | e does syngamy occ | | , | 1 0 | |
| | ernal medium | b) Internal medium | c) | Both (a) and (b) | d) None of these |
| - | propagation is a tec | • | -, | (-) (-) | , |
| | production of true | - | h) | For production of haple | oid plant |
| = | production of some | | - | For production of soma | = |
| = | is the term used in | _ | uj | Tor production or some | icional plants |
| | bryology | b) Grafting | c) | Agamospermy | d) Emasculation |
| = | | s the information source fo | - | = = = | u) Emasculation |
| | | | | = = | d) Dlagma mambrana |
| a) Nu | | b) Ribosome | - | Cell wall | d) Plasma membrane |
| | _ | s development to form new | v or | ganisins without fertiliz | auon. The process called |
| = | enogenesis. It occur | | , | C | JD A11 - C - 1 |
| a) Ro | | b) Turkey birds | c) | Some reptiles | d) All of above |
| | e develops into: | 13.0 | _ | 0 1 | D.B. V |
| a) Em | - | b) Ovule | c) | Seed | d) Fruit |
| 152. Asexu | al reproduction is c | ommon in | | | |

- a) Single celled organisms
- b) Plants with relatively simple organization
- c) Animals with relatively simple organization
- d) All of the above
- 153. The mode of asexual reproduction in bacteria are:
 - a) Formation of gametes

b) Endospore formation

c) Conjugation

d) Zoospore formation

REPRODUCTION IN ORGANISMS

BIOLOGY

| | | | | | | : ANS | V | ER K | EY | | | | | | |
|-----|---|-----|---|-----|---|-------|---|------|----|------|---|------|---|------|---|
| 1) | d | 2) | d | 3) | a | 4) | С | 81) | a | 82) | b | 83) | b | 84) | С |
| 5) | a | 6) | a | 7) | c | 8) | b | 85) | d | 86) | d | 87) | d | 88) | c |
| 9) | a | 10) | d | 11) | a | 12) | d | 89) | b | 90) | a | 91) | d | 92) | a |
| 13) | b | 14) | c | 15) | a | 16) | b | 93) | c | 94) | a | 95) | c | 96) | c |
| 17) | a | 18) | c | 19) | d | 20) | b | 97) | d | 98) | c | 99) | a | 100) | a |
| 21) | d | 22) | b | 23) | b | 24) | c | 101) | a | 102) | a | 103) | a | 104) | a |
| 25) | d | 26) | d | 27) | a | 28) | a | 105) | b | 106) | b | 107) | d | 108) | d |
| 29) | d | 30) | a | 31) | c | 32) | c | 109) | b | 110) | c | 111) | a | 112) | b |
| 33) | d | 34) | d | 35) | b | 36) | d | 113) | b | 114) | c | 115) | b | 116) | a |
| 37) | d | 38) | c | 39) | b | 40) | d | 117) | b | 118) | C | 119) | b | 120) | b |
| 41) | C | 42) | a | 43) | d | 44) | b | 121) | a | 122) | b | 123) | d | 124) | d |
| 45) | d | 46) | a | 47) | a | 48) | b | 125) | a | 126) | d | 127) | C | 128) | a |
| 49) | b | 50) | c | 51) | a | 52) | c | 129) | d | 130) | d | 131) | b | 132) | C |
| 53) | d | 54) | d | 55) | c | 56) | a | 133) | d | 134) | b | 135) | d | 136) | C |
| 57) | a | 58) | b | 59) | b | 60) | a | 137) | c | 138) | a | 139) | d | 140) | a |
| 61) | d | 62) | c | 63) | c | 64) | b | 141) | c | 142) | a | 143) | a | 144) | C |
| 65) | a | 66) | d | 67) | c | 68) | a | 145) | c | 146) | c | 147) | C | 148) | b |
| 69) | d | 70) | b | 71) | d | 72) | c | 149) | b | 150) | d | 151) | a | 152) | d |
| 73) | d | 74) | b | 75) | a | 76) | b | 153) | c | | | | | | |
| 77) | C | 78) | d | 79) | c | 80) | a | | | | | | | | |

REPRODUCTION IN ORGANISMS

BIOLOGY

: HINTS AND SOLUTIONS:

3 **(a)**


Bamboo is the monocarpic plant (which reproduce once in their life time). They reproduce once in 50-100 yrs after their birth and after flowering they die

6 **(a)**

Asexual reproduction in plants called vegetative reproduction. Rhizome, runner, sucker all are the examples of asexual reproduction

7 **(c)**

Bodies involved in asexual reproduction Conidia are non-motile gametes found singly or in chain on the parent body, *e. g.*, *Penicillium*



Conidia formation in Penicillium


False **Gemmule formation** is the type of reproduction in which the buds are formed with in the parent body, *e. g.*, Sponge



Gemmule formation in sponge

9 **(a**)

Juvenile phase is the phase of life span in which growth of body and full development of reproductive organ takes place. It is called vegetative phase in plants



10 **(d)**

Very essential event in sexual reproduction is fertilization and in fertilization the fusion of male and female gametes takes place

11 **(a)**

Budding In this type of asexual reproduction the daughter individual is formed on the small outgrowth of parent body, *e. g*, Yeast, *Hydra*, etc

15 **(a)**

Self-fertilisation is very common phenomenon in plants. This phenomenon takes place only when there is the presence of bisexual flower

18 **(c**

Hermaphrodite/bisexual/monoecious/homothalli c term used when both the sexes are present in same organism. Term 'hermaphrodite' is used in case of animals. Bisexual and monoecious used in both (animal/plant)

19 **(d)**

Male gametes are called antherozoids in case of lower organism like fungi and algae and in higher organism it is called sperm like mammals, reptiles, etc.

24 **(c)**

Binary fission It is the mode of reproduction in which the single organism divides into two parts, *i.e.*, *Amoeba*, *Paramecium*

27 **(a)**

Seasonal breeders which reproduced in the favourable season only. Their reproductive organs starts functioning due to seasonal changes thus they have the specific time period in which the reproduction takes place *e. g.*, Mammals (dog, cow, etc.)

30 **(a)**

True. When both the sexes are present on the same organism called hermaphrodite, $e.\,g.$, Earthworm, leech, etc

32 **(c)**Ant, aphids, cockroaches are unisexual only earthworm have both the sexes (hermaphrodite)

39 **(b)**In the given diagram three figures are there first


figure indicate the fusion of male and female gametes


Second figure indicate the zygote because there are two nuclei visible in completely fused condition

Third figure indicates the complete one cell after fusion is over, all is there can be called new individual

40 **(d)**


All examples shown below are, the examples of vegetative reproduction





Tuber of patato

Rhizome of ginger



41 **(c)**

Gametogenesis Process of formation of gametes (male and female) is called gametogenesis. Gametes are the haploid reproducing cells

43

After forming the zygote it under goes successive cleavage and becomes mass of cells. Cleavage is considered as mitosis without resting phase. As in nature in the process of mitosis the genetic constitution remains the same hence, resulting all cells have similar genetic constitution. Cleavage is followed by cell differentiation processes like gastrulation, etc., which finally gives rise to different body parts

46 (a)

Large number of offsprings produced in case of externally fertilized animals because there is no direct protection, from the environment

47 (a)

The time period from birth till death is called **life** span.

The life span is generally divided into four parts

- (i) **Iuvenility** Period of life span from birth till the organism develops the capacity to reproduce
- (ii) Maturity Reproduction begins and flourished in this stage
- (iii) Senescence or ageing Progressive detoriation of the body is called ageing. Ageing ends in

senescence

(iv) **Death** It stopping of all vital activity of an organism at senescence leads to death

48 (b)

Maturation stage

The time period from birth till death is called life span.

The life span is generally divided into four parts

- (i) Juvenility Period of life span from birth till the organism develops the capacity to reproduce
- (ii) **Maturity** Reproduction begins and flourished in this stage
- (iii) **Senescence or ageing** Progressive detoriation of the body is called ageing. Ageing ends in senescence
- (iv) **Death** It stopping of all vital activity of an organism at senescence leads to death

50 (c)

A-clearly indicate the homogametes or isogametes because both gametes are identical B-Clearly indicates that, it is not homogametes because there is much size difference C-Indicate the two well defined gametes which are not similar, i.e., ovum (female) and sperm (male)

52 **(c)**

Statement I It is incorrect. The correct sentence is 'lower groups of organisms have simple body forms'.

Statement II It says the organisms, which evolve earlier reproduced by asexual mode of reproduction because of their simpler body plans **Statement III** It is wrong sexual reproduction is common in higher organism

Statement IV It says that in complex organism or organism, which evolve later have the complex body plan and they reproduce by means of sexual reproduction which is complex than the asexual one

(d) 53

A-Potato, B-Ginger, C-Bryophylllum, D-Water hyacinth, E-Agave

| Name of | Types of Reproduction |
|------------|-----------------------|
| plants | /Characteristics |
| Potato | Tuber |
| Ginger | Rhizome |
| Agave | Bulbil |
| Bryophyllu | Leaf buds |
| m | Offset |
| Water | |
| hyacinth | |

54 (d)

Old age is the phase in life span which occur

before death and after maturity period. In old age almost all of the vital processes starts slowing down. Gamete formation also stops in old age

56 **(a)**

Prokaryotes (bacteria) and Protista are single celled organisms. Their mode of reproduction is cell division. In them the parent body as a whole constitute the reproductive unit and divided into two by various mode. So, they are immortal

61 **(d)**

As we know oviparous individuals lay eggs with white hard shell around it and this white hard shell is made up of calcium

65 **(a)**

Zygote considered as the single cell with two nuclei. Because zygote is the union of male and female gametes, which are haploid Two haploid cell fuse form diploid cell. That's way it considered as single cell and from zygote every organism begin their life

67 **(c)**

organisms are called **clones**These are produced through asexual reproduction which is the type of reproduction where there is the participation of only single organism

Morphologically and genetically similar

72 **(c)**

Sexual reproduction is characterized by genetic recombination. Due to genetic recombination the progeny is different from the parents. In sexual reproduction the genetic material comes from the two parents of same species. But in asexual reproduction only one individual participate to produce offspring

74 **(b**)

False **Gemmule formation** is the type of reproduction in which the buds are formed with in the parent body, *e. g.*, Sponge




Gemmule formation in sponge

75 (a)

Strobilanthus kunthiana also called Neela Kuranji in local language. It is found in Kerala, Maharashtra, Tamil Nadu. It reproduce once in 12 yr Last time it was reproduced in Sept-Oct, 2006 and produced blue flower in massive quantity. It attracted tourist because all of the area appeared blue

76 **(b)**

False. Because in *Hydra* the common mode of reproduction is bud formation which is the small outgrowth attach to parent body externally



Budding in Hydra

78 **(d)**


Irregular binary fission – *Amoeba*Longitudinal binary fission – *Euglena*Transverse binary fission – *Paramecium*

80 **(a)**

Participation of one individual
Morphologically and genetically similar
organisms are called clones
These are produced through asexual reproduction
which is the type of reproduction where there is
the participation of only single organism

81 (a)


Conidia are non-motile gametes found singly or in chain on the parent body, e. g., Penicillium



Conidia formation in Penicillium

82 **(b)**

Corms are the unbranched rounded underground stems. They buds for daughter plants. Axillary buds occur at places. Their base contains a number of adventitious roots



84 **(c)**

Female gametes are called ovum in case of higher organism. The term egg is also used.

Interchangeably Archegonia also used for female gametes containing organs but in case of lower organism, *i.e.*, Bryophytes and pteridophytes

94 **(a)**

Reproduction is one of the fundamental processes in which individual produces a young one

95 **(c)**

Water hyacinth consumes oxygen from water and decreases its O_2 content.

'Terror of Bengal' is the aquatic plant (water hyacinth) introduced in Bengal for its beautiful leaves and flower. But it grows very faste and consumes O_2 from water.

Due to which lot of fish died. That's why it was called Terror of Bengal

97 **(d)**


A-indicate female cockroach because leaf like structure of ovary is distinguished character of female cockroach. B-plant body is thalloid and sexes are separate indicates *Marchantia*C-Male and female gametes on same plant so monoecious or bisexual flower

98 **(c)**

Gamete mother cells are called gamete producing cells. In these the meiotic cell division takes place. Hence, they are also called meiocytes

100 (a)

Zoospore zoo-motile, *spore*—minature gamete. Generally, male gametes are motile. They are commonly found in the fungi and animal kingdom Sessile spore are generally female gametes. Here, one must understand that zoospores are not differentiated to male and female



101 (a)

As we know that oviparous individuals lay eggs outside the body hence, further development takes place outside.

But, the process of fertilization takes place inside their body

105 **(b)**

Binary fission is the common mode of reproduction in bacteria and Protista. *It may be of many types*Irregular binary fission – *Amoeba*Longitudinal binary fission – *Euglena*Transverse binary fission – *Paramecium*

107 (d)

| Name of | Types of Reproduction |
|------------|-----------------------|
| plants | /Characteristics |
| Potato | Tuber |
| Ginger | Rhizome |
| Agave | Bulbil |
| Bryophyllu | Leaf buds |
| m | Offset |
| Water | |
| hyacinth | |

109 **(b)**

False. **Staminate** are the unisexual male flower/or plant which produces the male gametes only called staminate plant

110 (c)

Fishes are dioecious so no self - fertilisation. Earthworm, liverfluke, leech all are hermaphrodite but hermaphrodism is not necessary to give rise to self - fertilisation. In given options only liverfluke does self - fertilisation

112 **(b)**

New organism without fertilization is called parthenogenesis, *e. g.*, Ant, bees, termites

113 **(b)**

In internal fertilization syngamy takes place inside the body of female reproductive tract. It is direct protection from the environment to the developing progeny

114 **(c)**

'Terror of Bengal' is the aquatic plant (water hyacinth) introduced in Bengal for its beautiful leaves and flower. But it grows very faste and consumes O_2 from water.

Due to which lot of fish died. That's why it was called Terror of Bengal

116 (a)

Generally, the oestrus cycle takes place in the seasonal breeders. It is the cyclic change in the activity of ovaries and accessory duct during reproductive (seasonal) period

117 **(b)**

False. **Pistillate** are unisexual female plant. These plant produce only female flower

119 **(b)**

Transfer of male gametes (pollen) to the receptacle (stigma) of the female is called pollination

Generally, the pollination takes place by various means like air/water/animals/insects, etc.

123 **(d)**

Production of plant by culturing the cells in laboratory is called micropropagation It is also called **tissue culture**. In this technique the plants are genetically similar to parent one. That's why called somaclonal plants

125 (a)

Presence of diploid zygote is universal in all sexually reproducing organism. Irrespective of the fact that, the parents are haploid or diploid. In haploid parent condition, the diploid zygote undergoes meiosis and become haploid body again, while in diploid organisms, the diploid zygote changes to diploid individual after undergoing mitosis

126 **(d)**

Heterothallic/dioecious/unisexual term used when the sexes present on different organisms called male and female

The archegonia and antheridia term used in case of lower organism


127 **(c)**

In cell division the cell divides into two parts having same genetic constituent. Only Monera and Protista are the organisms, which are single celled in five kingdom of classification.

That's why cell division is the common mode of reproduction in Monera and Protista

129 (d)

Sequential events in the sexual reproduction are Pre-fertilisation (event before the fertilisation)



Fertilisation → Union of male and female gametes

↓
Post-fertilisation (event after the fertilisation)

↓
Zygote
→ Embryogenesis

132 **(c)**

Syngamy and fertilization both the terms are used interchangeably, for the fusion of male and female

gametes

135 (d)

Propagation by plant Tissue Culture

(micropropagation) includes propagation of plants by culturing the cells, tissue, etc. Initially the culturing of cells or tissue results in the formation of an undifferentiated mass of cell called **callus**, which differentiate to produce large number of plantlets

136 **(c)**

In micropropagation (tissue culture) there is the origin of an individual plant from few cells, so in laboratory many plants could be propagated in little time.

This technique basically used for the plants, which are endangered

138 **(a)**

Embryogenesis refers to the development of embryo from the zygote. During embryogenesis, zygote undergoes cell division (mitosis) and cell differentiation. Cell division of zygote is called **cleavage**

139 **(d)**

All are correct

Strobilanthus kunthiana also called Neela Kuranji in local language. It is found in Kerala, Maharashtra, Tamil Nadu. It reproduce once in 12


Last time it was reproduced in Sept-Oct, 2006 and produced blue flower in massive quantity. It attracted tourist because all of the area appeared blue

141 **(c)**

Menstrual cycle is the periodic hormonal ovarian change. It takes place in every month in the primates Stopping of menstrual cycle is called menopause

142 **(a)**

Irrespective of the fact whether plant is haploid or diploid, it has haploid gametes



In mitotic cell division the chromosome number remains the same. In meiotic cell division the chromosomes number becomes half

146 (c)

Syngamy (fertilisation) fusion of male and female gametes is called syngamy or fertilization. *It is of two types*

- (i) **External Fertilisation** When the syngamy takes place in the external medium. Generally, the external medium is water, *e. g.*, Amphibians, fishes
- (ii) **Internal Fertilisation** When the syngamy takes place inside the female body, $e.\,g.$, Reptiles, bird, mammals

152 **(d)**

Asexual reproduction is common in single celled organisms, because in asexual reproduction mitotic cell division takes place which is quick and simple as compared to meiosis, so asexual reproduction is the most common mode of

reproduction in the given options